


TOPRAY VCM Datasheet

Type	3D	Model	Size			Thread		Terminal size			pixel	Exterior	zero tilt	Internal cavity size
			Length	Width	Height	Diameter	Pitch	distance	Thickness	length				Length*Width
2.8mm 單向馬達 /Open loop		AFV38AD44	8.5	8.5	2.8	M5.5	P0.20	7.0	0.15	0.9 +/- 0.1	8M	四角下沉	-	7.1*6.76

TOPRAY MEMS INC.

ADD : No.18, 2F-1, Puding Rd, Dong District, Hsinchu City, Taiwan 300

TEL : 886-3-579-5089

FAX : 886-3-579-5056


台睿精工股份有限公司

地址 : 30072 新竹市埔頂路 18 號 2F-1

電話 : 886-3-579-5089

傳真 : 886-3-579-5056

TOPRAY VCM Datasheet

Type	3D	Model	Size			Thread		Terminal size			pixel	Exterior	zero tilt	Internal cavity size
			Length	Width	Height	Diameter	Pitch	distance	Thickness	length				Length*Width
2.8mm 單向馬達 /Open loop		AFV38HC25	8.5	8.5	2.8	M6.0	P0.25	7.0	0.06	0.7 +/- 0.1	8M	四角下沉	-	7.1*6.76

TOPRAY MEMS INC.

ADD : No.18, 2F-1, Puding Rd, Dong District, Hsinchu City, Taiwan 300

TEL : 886-3-579-5089

FAX : 886-3-579-5056


台睿精工股份有限公司

地址 : 30072 新竹市埔頂路 18 號 2F-1

電話 : 886-3-579-5089

傳真 : 886-3-579-5056

TOPRAY VCM Datasheet

Type	3D	Model	Size			Thread		Terminal size			pixel	Exterior	zero tilt	Internal cavity size
			Length	Width	Height	Diameter	Pitch	distance	Thickness	length				Length*Width
2.8mm 單向馬達 /Open loop		AFV28ED42	8.5	8.5	2.8	M6.5	P0.25	7.0	0.15	1.15 +/-0.1	13M	四角下沉	-	7.1*6.76
		AFV28ED45								0.7 +/- 0.1				
		AFV28ED48								0.8 +/- 0.1				
		AFV28ED49								0.9 +/- 0.1				

TOPRAY MEMS INC.

ADD : No.18, 2F-1, Puding Rd, Dong District, Hsinchu City, Taiwan 300

TEL : 886-3-579-5089

FAX : 886-3-579-5056


台睿精工股份有限公司

地址 : 30072 新竹市埔頂路 18 號 2F-1

電話 : 886-3-579-5089

傳真 : 886-3-579-5056

TOPRAY VCM Datasheet

Type	3D	Model	Size			Thread		Terminal size			pixel	Exterior	zero tilt	Internal cavity size
			Length	Width	Height	Diameter	Pitch	distance	Thickness	length				Length*Width
2.8mm 單向馬達 /Open loop		AFV28KD42	8.5	8.5	2.8	M6.5	P0.25	7.0	0.15	1.15 +/-0.1	13M	四角下沉	-	7.1*6.76
		AFV28KD45								0.7 +/- 0.1				
		AFV28KD48								0.8 +/- 0.1				
		AFV28KD49								0.9 +/- 0.1				

TOPRAY MEMS INC.

ADD : No.18, 2F-1, Puding Rd, Dong District, Hsinchu City, Taiwan 300

TEL : 886-3-579-5089

FAX : 886-3-579-5056


台睿精工股份有限公司

地址 : 30072 新竹市埔頂路 18 號 2F-1

電話 : 886-3-579-5089

傳真 : 886-3-579-5056

TOPRAY VCM Datasheet

Type	3D	Model	Size			Thread		Terminal size			pixel	Exterior	zero tilt	Internal cavity size
			Length	Width	Height	Diameter	Pitch	distance	Thickness	length				Length*Width
2.8mm 單向馬達 /Open loop		AFV28GC25	8.5	8.5	2.8	M6.5	P0.25	7.0	0.06	0.7 +/- 0.1	13M	四角下沉	-	7.1*6.76

TOPRAY MEMS INC.

ADD : No.18, 2F-1, Puding Rd, Dong District, Hsinchu City, Taiwan 300

TEL : 886-3-579-5089

FAX : 886-3-579-5056


台睿精工股份有限公司

地址 : 30072 新竹市埔頂路 18 號 2F-1

電話 : 886-3-579-5089

傳真 : 886-3-579-5056

TOPRAY VCM Datasheet

Type	3D	Model	Size			Thread		Terminal size			pixel	Exterior	zero tilt	Internal cavity size
			Length	Width	Height	Diameter	Pitch	distance	Thickness	length				Length*Width
2.8mm 單向馬達 /Open loop		TAN18GC25	8.5	8.5	2.8	M6.5	P0.25	7.0	0.06	0.7 +/- 0.1	16M	四角下沉	6'	7.1*6.76

TOPRAY MEMS INC.

ADD : No.18, 2F-1, Puding Rd, Dong District, Hsinchu City, Taiwan 300

TEL : 886-3-579-5089

FAX : 886-3-579-5056

台睿精工股份有限公司

地址 : 30072 新竹市埔頂路 18 號 2F-1

電話 : 886-3-579-5089

傳真 : 886-3-579-5056